

AMP DRAW, MAXIMUM OVER CURRENT PROTECTION & CIRCUITS FOR ETD-E ELECTRICALLY HEATED AIR CURTAINS

AMP DRAW (MOCP)		ETD-1-36E	ETD-1-42E	ETD-1-48E	ETD-1-60E	ETD-2-60E	ETD-2-72E	ETD-2-84E	ETD-2-96E	ETD-3-108E	ETD-3-120E	ETD-3-132E	ETD-4-144E
208/1/60	Separate Supplies	Circuit 1	27.6 (35)			***	***			***			***
		Circuit 2	24.0 (35)			-	-			-			-
	SPP*		51.6 (70)			***	***			***			***
240/1/60	Circuit 1		45.3 (60)			***	***			***			***
208/3/60	Separate Supplies	Circuit 1	31.4 (40)			41.6 (60)	35.0 (45)			38.6 (50)			***
		Circuit 2	-			7.2 (15)	27.8 (35)			27.8 (40)			-
		Circuit 3	-			-	-			27.8 (40)			-
	SPP*		**			48.8 (70)	62.7 (80)			94.0 (125)			***
240/3/60	Separate Supplies	Circuit 1	27.7 (35)			43.3 (60)	31.3 (40)			46.9 (60)			***
		Circuit 2	-			-	24.1 (35)			36.1 (50)			-
	SPP*		**			**	55.4 (70)			83.0 (110)			***
480/3/60	Separate Supplies	Circuit 1	14.0 (20)			22.0 (30)	28.1 (40)			42.1 (60)			32.1 (45)
		Circuit 2	-			-	-			-			24.1 (35)
	SPP*		**			**	**			**			56.2 (80)
575/3/60	Circuit 1		11.5 (15)			18.1 (25)	23.1 (30)			34.6 (45)			46.2 (60)

* With optional branch fusing for Single point Power (SPP)

** SPP by default.

*** High amp draws may be prohibitive. Reduced and custom kW available. Contact factory.

